

Name:

Date:

Per:

--	--

--

Sexually Transmitted Infections - Bacterial

transmitted by

Each of these

infections can

cause serious

infections can cause serious health problems. Some can lead to permanent damage to a woman's reproductive system. This can make it difficult for her to get pregnant.

Some of these infections can be treated with antibiotics. However, if left untreated, they can lead to serious health problems.

Each of these infections can cause serious health problems. Some can lead to permanent damage to a woman's reproductive system. This can make it difficult for her to get pregnant.

Sexually Transmitted Infections - Viral

are transmitted

by

oral sex with

Hepatitis B spreads

through direct contact

symptoms

Hepatitis B spreads through direct contact with an infected person's blood. It can be transmitted through sexual intercourse, sharing needles, and from mother to child during childbirth.

symptoms of hepatitis B include fatigue, loss of appetite, weight loss, and jaundice. Some people may not have any symptoms.

STIs in the US



STIs in the US

HPV is very common...

...at some point in their lives

There is a test for women, but currently there is no approved test for men.

Teaching

CAJON VALLEY

STIs in the US.

1.64 Million

1,500,000

1,000,000

number of new

In one year

710,151

572,000

500,000

About 13 percent of


High Risk Activities for Getting a STI



(you can use the images above to answer this question)

this conversation? : What are some important ideas you learned from

How Can I Show Support to Someone with STI?



If you need resources or support for your sexual health...

- 1. Talk to a parent/guardian or other trusted adult

Why is it important not to discriminate against people who have a STI?

Why might it be important to show support for someone who has an STI?

Write 3 new things you learned in this lesson.
Write 2 questions you still have about STIs.
Write 1 wish you have for a safe and healthy future.

Share your exit slip with your parent/guardian, or other trusted adult as a way to begin a conversation about sexually transmitted infections.

-
-
-
